

Filterkeywords und -werte



Seite/ Objekttyp	Filtern nach ...	Keywords	Mögliche Werte	Anmerkung
Tasks	Tasks with applied overrides	apply_overrides	Boolean	0 = no, 1 = yes
	Tasks with a specific minimum QoD of the results that are taken into account for calculating the severity level	min_qod	Positive integer	0 – 100
	Tasks with a specific UUID	uuid	UUID	
	Tasks with a specific name	name	String	
	Tasks with a specific comment	comment	String	
	Tasks with a specific creation time	created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Tasks with a specific modification time	modified	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Tasks with a specific owner	owner	String	
	Tasks with a specific status	status	New	
			Running	
			Done	
			Stopped	
			Requested	
			Queued	
			Stop Requested	
			Interrupted	
	Tasks with a specific number of reports	total	Delete Requested	
			Ultimate Delete Requested	
	Tasks with a specific first report	first_report	Positive integer	
	Tasks with a specific last report	last_report	report UUID	
	Tasks with a specific severity level	threat	report UUID	
			High	
			Medium	
			Low	
			False Positive	
			Log	
	Tasks with a specific trend	trend	up	
			down	
			more	
			less	
			same	
	Tasks with a specific max. severity in the reports	severity	CVSS score	0.0 – 10.0
	Tasks with a specific schedule	schedule	String	
	Tasks with a specific time for the next run	next_due	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Tasks with a specific time of the first report	first_report_created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Tasks with a specific time of the last report	last_report_created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Tasks with a specific number of "false positive" results	false_positive	Positive integer	
	Tasks with a specific number of "log" results	log	Positive integer	
	Tasks with a specific number of "low" results	low	Positive integer	
	Tasks with a specific number of "medium" results	medium	Positive integer	
	Tasks with a specific number of "high" results	high	Positive integer	
	Tasks with a specific number of hosts	hosts	Positive integer	
	Tasks with a specific number of number of hosts with results matching the min_qod	result_hosts	Positive integer	
	Tasks with a specific average number of "false positive" results per host	fp_per_host	Positive integer	
	Tasks with a specific average number of "log" results per host	log_per_host	Positive integer	
	Tasks with a specific average number of "low" results per host	low_per_host	Positive integer	
	Tasks with a specific average number of "medium" results per host	medium_per_host	Positive integer	
	Tasks with a specific average number of "high" results per host	high_per_host	Positive integer	
	Tasks with a specific target	target	String	
	Task with a specific usage type	usage_type	scan audit	

Filterkeywords und -werte



Seite/ Objekttyp	Filtern nach ...	Keywords	Mögliche Werte	Anmerkung
Reports (list page of all reports)	Reports with applied overrides	apply_overrides	Boolean	0 = no, 1 = yes
	Reports with a minimum QoD	min_qod	Positive integer	0 – 100
	Reports with a specific UUID	uuid	UUID	
	Reports with a specific creation time	created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Reports with a specific modification time	modified	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Reports with a specific owner	owner	String	
	Reports for a specific task	task_id	Task UUID	
	Reports with a specific name (in this case, the time is used as the name) name		Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Reports with a specific scan time	date	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Reports for tasks with a specific status	status	New	
			Running	
			Done	
			Stopped	
			Requested	
			Queued	
			Stop Requested	
			Interrupted	
			Delete Requested	
			Ultimate Delete Requested	
	Reports for tasks with a specific name	task	String	
	Reports with a specific severity	severity	CVSS score	0.0 – 10.0
	Reports with a specific number of "false positive" results	false_positive	Positive integer	
	Reports with a specific number of "log" results	log	Positive integer	
	Reports with a specific number of "low" results	low	Positive integer	
	Reports with a specific number of "medium" results	medium	Positive integer	
	Reports with a specific number of "high" results	high	Positive integer	
	Reports with a specific number of hosts	hosts	Positive integer	
	Reports with a specific number of number of hosts with results matching the min_qod	result_hosts	Positive integer	
	Reports with a specific average number of "false positive" results per host	fp_per_host	Positive integer	
	Reports with a specific average number of "log" results per host	log_per_host	Positive integer	
	Reports with a specific average number of "low" results per host	low_per_host	Positive integer	
	Reports with a specific average number of "medium" results per host	medium_per_host	Positive integer	
	Reports with a specific average number of "high" results per host	high_per_host	Positive integer	

Filterkeywords und -werte



Seite/ Objekttyp	Filtern nach ...	Keywords	Mögliche Werte	Anmerkung
	Results with applied overrides	apply_overrides	Boolean	0 = no, 1 = yes
	Results with a specific severity class	levels	h	High severity (7.0 – 10.0)
			m	Medium severity (4.0 – 6.9)
			l	Low severity (0.1 – 3.9)
			f	False positive entries
			g	Log entries (0.0)
	Results detected by a VT with a specific minimal QoD	min_qod	Positive integer	0 – 100
	Results with a included notes	notes	Boolean	0 = no, 1 = yes
	Results with included overrides	overrides	Boolean	0 = no, 1 = yes
	Results with a specific timezone	timezone	String	"UTC" or time zone using scheme "continent/state" (according to IANA Time Zone Database)
	Results with a specific UUID	uuid	UUID	
	Results with a specific name	name	String	
	Results with a specific creation time	created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Results with a specific modification time	modified	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Results with a specific owner	owner	String	
	Results with a specific host	host	String	
	Results with a specific host name	hostname	String	
	Results with a specific location	location	String	
	Results detected with a specific VT	nvt	String	
	Results with a specific severity class (with applied overrides)	type	Alarm	
			Log Message	
			False Positive	
	Results with a specific original severity class (without applied overrides)	original_type	Alarm	
			Log Message	
			False Positive	
Reports (inside a specific report)	Results with a specific description	description	String	
	Results for a specific task	task	String	
	Results for a specific report	report	Internal ID	
	Results detected by a VT with a specific CVSS base score	cvss_base	CVSS score	0.0 – 10.0
	Results detected by a VT with a specific version	nvt_version	String	
	Results with a specific severity (with applied overrides)	severity	CVSS score	0.0 – 10.0
	Results with a specific severity (without applied overrides)	original_severity	CVSS score	0.0 – 10.0
	Results detected by a specific VT	vulnerability	String	
	Results with a specific creation time	date	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Results for a specific report	report_id	Report UUID	
	Results with a specific solution type	solution_type	VendorFix	
			Workaround	
			Mitigation	
			NoneAvailable	
			WillNotFix	
	Results detected by a VT with a specific minimal QoD	qod	Positive integer	0 – 100
			exploit	100 %
			remote_vul	99 %
			remote_app	98 %
			package	97 %
			registry	97 %
			remote_active	95 %
			remote_banner	80 %
			executable_version	80 %
			remote_analysis	70 %
			remote_probe	50 %
			remote_banner_unreliable	30 %
			executable_version_unreliable	30 %
			general_note	1 %
	Results for a specific task	task_id	Task UUID	
	Results for a specific CVE	cve	String	

Filterkeywords und -werte



Seite/ Objekttyp	Filtern nach ...	Keywords	Mögliche Werte	Anmerkung
Results	Results with applied overrides	apply_overrides	Boolean	0 = no, 1 = yes
	Results with a specific severity class	levels	h	High severity (7.0 – 10.0)
			m	Medium severity (4.0 – 6.9)
			l	Low severity (0.1 – 3.9)
			log	Log entries (0.0)
			d	Debug entries
	Results with included notes	notes	Boolean	0 = no, 1 = yes
	Results with applied overrides	overrides	Boolean	0 = no, 1 = yes
	Results with a specific timezone	timezone	String	"UTC" or time zone using scheme "continent/state" (according to IANA Time Zone Database)
	Results with a specific UUID	uuid	UUID	
	Results with a specific name	name	String in	
	Results with a specific creation time	created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Results with a specific modification time	modified	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Results with a specific owner	owner	String	
	Results detected by a VT with a specific minimal QoD	min_qod	Positive integer	0 – 100
	Results on a specific host	host	String	
	Results with a specific host name	hostname	String	
	Results with a specific port/location	location	String	
	Results detected by a specific VT	nvt	VT OID/UUID	
	Results with a specific severity type (with overrides)	type	Alarm	
			Log Message	
			False Positive	
	Results with a specific severity type (without overrides)	original_type	Alarm	
			Log Message	
			False Positive	
	Results with a specific description	description	String	
	Results for a specific task	task	String	
	Results of a specific report	report	Internal report ID	
	Results detected by a VT with a specific CVSS base score	cvss_base	CVSS score	0.0 – 10.0
	Results detected by a VT with a specific version	nvt_version	String	
	Results with a specific severity (with overrides)	severity	CVSS score	0.0 – 10.0
	Results with a specific severity (without overrides)	original_severity	CVSS score	0.0 – 10.0
	Results for a specific vulnerability	vulnerability	String	
	Results with a specific generation time	date	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Results of a specific report	report_id	Report UUID	
	Results with a specific solution type	solution_type	VendorFix	
			Workaround	
			Mitigation	
			NoneAvailable	
			WillNotFix	
	Results which were detected by a VT with a specific QoD	qod	Positive integer	0 – 100
	Results which were detected by a VT with a specific QoD type	qod_type	exploit	100 %
			remote_vul	99 %
			remote_app	98 %
			package	97 %
			registry	97 %
			remote_active	95 %
			remote_banner	80 %
			executable_version	80 %
			remote_analysis	70 %
			remote_probe	50 %
			remote_banner_unreliable	30 %
			executable_version_unreliable	30 %
			general_note	1 %
	Results for a specific task	task_id	Task UUID	
	Results for a specific CVE	cve	String	
Vulnerabilities	Vulnerabilities with a specific UUID	uuid	UUID	
	Vulnerabilities with a specific name	name	String	
	Vulnerabilities with a specific creation time	created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Vulnerabilities with a specific modification time	modified	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Vulnerabilities with a specific minimal QoD	min_qod	Positive integer	0 – 100
	Vulnerabilities with a specific number of results	results	Positive integer	
	Vulnerabilities with a specific number of hosts	hosts	Positive integer	
	Vulnerabilities with a specific severity	severity	CVSS score	0.0 – 10.0
	Vulnerabilities with a specific QoD	qod	Positive integer	0 – 100
	Vulnerabilities with a specific time of the oldest result	oldest	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Vulnerabilities with a specific time of the newest result	newest	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Vulnerabilities with a specific type	type	nvt	
			cve	
			ovaldef	Only with an additionally installed scanner, which has not been supported for some time now

Filterkeywords und -werte



Seite/ Objekttyp	Filtern nach ...	Keywords	Mögliche Werte	Anmerkung
Notes	Notes with a specific UUID	uuid	UUID	
	Notes with a specific name	name	String	
	Notes with a specific creation time	created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Notes with a specific modification time	modified	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Notes with a specific owner	owner	String	
	Notes for a specific NVT	nvt	OID	OID of the NVT the note applies to
	Notes for a specific NVT	nvt_id	OID	OID of the NVT the note applies to
	Notes with a specific text	text	String	
	Notes for a specific task	task_name	String	Name of the task the note applies to
	Notes for a specific task	task_id	Task UUID	
	Notes for a specific host	hosts	String	Name of the host the note applies to
	Notes for a specific port	port	String	Name of the port the note applies to
	Notes that are active/inactive	active	Boolean	0 = inactive, 1 = active
	Notes for a specific result	result	Result UUID	
Overrides	Notes for a specific minimum severity of results	severity	CVSS score	0.0 – 10.0 Minimum severity of results the note applies to
	Overrides with a specific UUID	uuid	UUID	
	Overrides with a specific name	name	String	
	Overrides with a specific creation time	created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Overrides with a specific modification time	modified	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Overrides with a specific owner	owner	String	
	Overrides for a specific NVT	nvt	OID	OID of the NVT the override applies to
	Overrides for a specific NVT	nvt_id	OID	OID of the NVT the override applies to
	Overrides with a specific text	text	String	
	Overrides for a specific task	task_name	String	
	Overrides for a specific task	task_id	UUID	
	Overrides for a specific host	hosts	String	
	Overrides for a specific port	port	String	
	Overrides for a specific minimum severity level of results	threat	High	
			Medium	
			Low	
			False Positive	
	Overrides for a specific new severity level of results	new_threat	Log	
			High	
			Medium	
			Low	
	Overrides that are active/inactive	active	False Positive	
			Log	
			High	
			Medium	
	Overrides for a specific result	result	Result UUID	
	Overrides for a specific minimum severity of results	severity	CVSS score	
	Overrides for a specific new severity of results (with applied overrides)	new_severity	CVSS score	
Hosts	Hosts with a specific UUID	uuid	UUID	
	Hosts with a specific name	name	String	
	Hosts with a specific comment	comment	String	
	Hosts with a specific creation time	created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Hosts with a specific modification time	modified	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Hosts with a specific owner	owner	String	
	Hosts with a specific host name	hostname	String	
	Hosts with a specific IP address	ip	Parts of or whole IP addresses	
	Hosts with a specific operating system as the best match	os	String or CPE ID in URI format	Example: "Microsoft Windows 10", "cpe:/o:microsoft:windows_10:2004"
	Hosts with specific operating systems (not necessarily as the best match)	oss	Comma-separated list of strings or CPE IDs in URI format	
	Hosts with a specific operating system that was detected (not necessarily as the best match)	os_id	UUID	
	Hosts with a specific operating system as the best match	best_os_cpe	CPE ID in URI format	Example: "cpe:/o:microsoft:windows_10:2004"
Operating Systems	Hosts with a specific severity	severity	CVSS score	0.0 – 10.0
	Operating systems with a specific UUID	uuid	UUID	
	Operating systems with a specific name	name	String	
	Operating systems with a specific comment	comment	String	
	Operating systems with a specific creation time	created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Operating systems with a specific modification time	modified	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Operating systems with a specific owner	owner	String	
	Operating systems with a specific title	title	String	
	Operating systems with a specific latest severity	latest_severity	CVSS score	0.0 – 10.0
	Operating systems with a specific highest severity	highest_severity	CVSS score	0.0 – 10.0
	Operating systems with a specific average severity	average_severity	CVSS score	0.0 – 10.0
	Operating systems with a specific number of hosts for which the OS is detected as the best match	hosts	Positive integer	
	Operating systems with a specific number of hosts for which the OS is detected (not necessarily as the best match)	all_hosts	Positive integer	

Filterkeywords und -werte



Seite/ Objekttyp	Filtern nach ...	Keywords	Mögliche Werte	Anmerkung
TLS Certificates	TLS certificates with a specific UUID	uuid	UUID	
	TLS certificates with a specific name	name	String	
	TLS certificates with a specific comment	comment	String	
	TLS certificates with a specific creation time	created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	TLS certificates with a specific modification time	modified	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	TLS certificates with a specific owner	owner	String	
	TLS certificates with a specific certificate subject	subject_dn	Distinguished name (DN)	
	TLS certificates with a specific certificate issuer	issuer_dn	Distinguished name (DN)	
	TLS certificates with a specific SHA256 fingerprint	sha256_fingerprint	String	
	TLS certificates with a specific MD5 fingerprint	md5_fingerprint	String	
			unknown	
	TLS certificates with a specific status	time_status	expired	No longer valid
			inactive	Not valid yet
			valid	
	TLS certificates with a specific time before which the certificate is not valid	activates	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	TLS certificates with a specific time after which the certificate is not valid	expires	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	TLS certificates which are currently valid	valid	Boolean	0 = no, 1 = yes
	TLS certificates with a specific serial number	serial	Hexadecimal serial number	
	TLS certificates with a specific time	last_seen	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	TLS certificates for a specific host asset	host_id	Host UUID	
	TLS certificates for a specific report	report_id	Report UUID	
Remediation Tickets	Tickets with a specific UUID	uuid	UUID	
	Tickets with a specific name	name	String	
	Tickets with a specific comment	comment	String	
	Tickets with a specific creation time	created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Tickets with a specific modification time	modified	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Tickets with a specific owner	owner	String	
	Tickets for a result with a specific severity	severity	CVSS score	0.0 – 10.0
	Tickets for a result on a specific host	host	String	
	Tickets for a result with a specific location	location	String	
	Tickets for a result with a specific solution type	solution_type	VendorFix	
			Workaround	
			Mitigation	
			NoneAvailable	
			WillNotFix	
	Tickets with a specific status	status	Open	
			Fixed	
			Fix Verified	
			Closed	
	Tickets with a specific opening time	opened	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Tickets with a specific fixing time	fixed	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Tickets with a specific closing time	closed	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"

Filterkeywords und -werte



Seite/ Objektyp	Filtern nach ...	Keywords	Mögliche Werte	Anmerkung
NVTs	NVTs with a specific UUID	uuid	UUID	
	NVTs with a specific name	name	String	
	NVTs with a specific comment	comment	String	
	NVTs with a specific creation time	created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	NVTs with a specific modification time	modified	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	NVTs with a specific owner	owner	String	
	NVTs in a specific NVT family	family	String	
	NVTs for a specific CVE	cve	String	
	NVTs with a specific solution type	solution_type	VendorFix	
			Workaround	
			Mitigation	
			NoneAvailable	
			WillNotFix	
	NVTs with a specific summary text	summary	String	
	NVTs with a specific CVSS score	cvss	CVSS score	0.0 – 10.0
	NVTs with a specific CVSS score	cvss_base	CVSS score	0.0 – 10.0
	NVTs with a specific script tag	script_tags	String	A list of special script tags separated by " ", which do not (yet) have their own filter field, e.g., "cvss_base_vector=AV:N/AC:M/Au:N/C:N/I:P/A:N deprecated=1".
	NVTs with a specific Quality of Detection (QoD)	qod	Positive integer	0 – 100
	NVTs with a specific QoD type	qod_type	exploit	100 %
			remote_vul	99 %
			remote_app	98 %
			package	97 %
			registry	97 %
			remote_active	95 %
			remote_banner	80 %
			executable_version	80 %
			remote_analysis	70 %
			remote_probe	50 %
			remote_banner_unreliable	30 %
			executable_version_unreliable	30 %
			general_note	1 %
	NVTs with a specific severity	severity	CVSS score	0.0 – 10.0

Filterkeywords und -werte



Seite/ Objektyp	Filtern nach ...	Keywords	Mögliche Werte	Anmerkung
CVEs	CVEs with a specific UUID	uuid	UUID	
	CVEs with a specific name	name	String	
	CVEs with a specific comment	comment	String	
	CVEs with a specific creation time	created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	CVEs with a specific modification time	modified	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	CVEs with a specific owner	owner	String	
	CVEs with a specific severity	severity	CVSS score	0.0 – 10.0
	CVEs with a specific attack vector	vector	LOCAL	Local access
			ADJECENT_NETWORK	Local network
			NETWORK	Remote network
	CVEs with a specific complexity vector	complexity	LOW	Simple complexity
			MEDIUM	Medium complexity
			HIGH	High complexity
	CVEs with a specific authentication vector	authentication	MULTIPLE_INSTANCE	Multi-factor authentication
			SINGLE_INSTANCE	Single-factor authentication
			NONE	No authentication
	CVEs with a specific impact on the confidentiality	confidentiality_impact	NONE	No impact
			PARTIAL	Partial impact
			COMPLETE	Global impact
	CVEs with a specific impact on the integrity	integrity_impact	NONE	No impact
			PARTIAL	Partial impact
			COMPLETE	Global impact
	CVEs with a specific impact on the availability	availability_impact	NONE	No impact
			PARTIAL	Partial impact
CPEs	CVEs with a specific CVSS score	cvss	CVSS score	0.0 – 10.0
	CVEs for specific products	products	String	Space separated list of CPEs the CVE applies to
	CVEs with a specific description	description	String	
	CVEs with a specific publication time	published	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	CVEs with a specific CVSS vector	cvss_vector	Valid for GVM versions since GVM 21.04, replaces "vector", "complexity", "authentication", "confidentiality_impact", "integrity_impact" and "availability_impact"	
			Latest available CVSS version is used	
			Example for CVSS 2.0: "AV:N/AC:L/Au:N/C:N/I:N/A:P"	
			Example for CVSS 3.0: "CVSS:3.0/AV:N/AC:H/PR:H/UI:N/S:U/C:N/I:L/A:H"	
			Example for CVSS 3.1: "CVSS:3.1/AV:N/AC:H/PR:H/UI:N/S:U/C:N/I:L/A:H"	
	CPEs with a specific UUID	uuid	UUID	
	CPEs with a specific name	name	String	
	CPEs with a specific comment	comment	String	
	CPEs with a specific creation time	created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	CPEs with a specific modification time	modified	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	CPEs with a specific owner	owner	String	
	CPEs with a specific severity	severity	CVSS score	0.0 – 10.0
	CPEs with a specific status	status	FINAL	
			RETIRED	
			" " (empty string)	No status specified
	CPEs with a specific title	title	String	
	CPEs with a specific replacing CPE	deprecated_by_id	NVD ID	NVD ID of CPE that replaces the original CPE
	CPEs with a specific maximum CVSS score	max_cvss	CVSS score	0.0 – 10.0
	CPEs with a specific NVD ID of the CVE	nvd_id	Positive integer	
	CPEs with a specific number of affected CVEs	cves	Positive integer	

Filterkeywords und -werte



Seite/ Objekttyp	Filtern nach ...	Keywords	Mögliche Werte	Anmerkung
OVAL definitions	OVAL definitions with a specific UUID	uuid	UUID	
	OVAL definitions with a specific name	name	String	
	OVAL definitions with a specific comment	comment	String	
	OVAL definitions with a specific creation time	created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	OVAL definitions with a specific modification time	modified	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	OVAL definitions with a specific owner	owner	String	
	OVAL definitions with a specific severity	severity	CVSS score	0.0 – 10.0
	OVAL definitions with a specific version number	version	Positive integer	
	OVAL definitions with a specific status	status	ACCEPTED	
			INTERIM	
			DRAFT	
			DEPRECATED	
	OVAL definitions with a specific class	class	compliance	
			inventory	
			patch	
			vulnerability	
	OVAL definitions that are deprecated	deprecated	Boolean	0 = no, 1 = yes
	OVAL definitions with a specific title	title	String	
	OVAL definitions with a specific number of affected CVEs	cves	Positive integer	
	OVAL definitions with a specific description	description	String	
	OVAL definitions with a specific maximum CVSS score	max_cvss	CVSS score	0.0 – 10.0
	OVAL definitions with a specific file containing the OVAL definition	file	String	
CERT-Bund Advisories	CERT-Bund advisories with a specific UUID	uuid	UUID	
	CERT-Bund advisories with a specific name	name	String	
	CERT-Bund advisories with a specific comment	comment	String	
	CERT-Bund advisories with a specific creation time	created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	CERT-Bund advisories with a specific modification time	modified	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	CERT-Bund advisories with a specific owner	owner	String	
	CERT-Bund advisories with a specific severity	severity	CVSS score	0.0 – 10.0
	CERT-Bund advisories with a specific title	title	String	
	CERT-Bund advisories with a specific number of affected CVEs	cves	Positive integer	
	CERT-Bund advisories with a specific summary	summary	String	
	CERT-Bund advisories with a specific maximum CVSS score	max_cvss	CVSS score	0.0 – 10.0
DFN-CERT advisories	DFN-CERT advisories with a specific UUID	uuid	UUID	
	DFN-CERT advisories with a specific name	name	String	
	DFN-CERT advisories with a specific comment	comment	String	
	DFN-CERT advisories with a specific creation time	created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	DFN-CERT advisories with a specific modification time	modified	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	DFN-CERT advisories with a specific owner	owner	String	
	DFN-CERT advisories with a specific severity	severity	CVSS score	0.0 – 10.0
	DFN-CERT advisories with a specific title	title	String	
	DFN-CERT advisories with a specific number of affected CVEs	cves	Positive integer	
	DFN-CERT advisories with a specific summary	summary	String	
	DFN-CERT advisories with a specific maximum CVSS score	max_cvss	CVSS score	0.0 – 10.0
Targets	Targets with a specific UUID	uuid	UUID	
	Targets with a specific name	name	String	
	Targets with a specific comment	comment	String	
	Targets with a specific creation time	created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Targets with a specific modification time	modified	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Targets with a specific owner	owner	String	
	Targets with a specific host	hosts	String	
	Targets with a specific excluded host	exclude_hosts	String	
	Targets with a specific number of IP addresses	ips	Positive integer	
	Targets with a specific port list	port_list	String	
	Targets with a specific SSH credential	ssh_credentials	String	
	Targets with a specific SMB credential	smb_credentials	String	
	Targets with a specific ESXi credential	esxi_credentials	String	
	Targets with a specific SNMP credential	snmp_credentials	String	
Post lists	Port lists with a specific UUID	uuid	UUID	
	Port lists with a specific name	name	String	
	Port lists with a specific comment	comment	String	
	Port lists with a specific creation time	created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Port lists with a specific modification time	modified	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Port lists with a specific owner	owner	String	
	Port lists with a specific number of ports	total	Positive integer	
	Port lists with a specific number of TCP ports	tcp	Positive integer	
	Port lists with a specific number of UDP ports	udp	Positive integer	
	Port lists obtained from the feed	predefined	Boolean	0 = no, 1 = yes

Filterkeywords und -werte



Seite/ Objekttyp	Filtern nach ...	Keywords	Mögliche Werte	Anmerkung
Credentials	Credentials with a specific UUID	uuid	UUID	
	Credentials with a specific name	name	String	
	Credentials with a specific comment	comment	String	
	Credentials with a specific creation time	created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Credentials with a specific modification time	modified	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Credentials with a specific owner	owner	String	
	Credentials of a specific type	type	up	User name + password
			usk	User name + SSH key
			snmp	SNMP
			pw	Password only
			cc	Client certificate
			smime	S/MIME certificate
			pgp	PGP encryption key
	Credentials that are (not) allowed for insecure authentication methods	allow_insecure	Boolean	0 = not allowed, 1 = allowed
	Credentials with a specific login name	login	String	
Scan configurations	Scan configurations with a specific UUID	uuid	UUID	
	Scan configurations with a specific name	name	String	
	Scan configurations with a specific comment	comment	String	
	Scan configurations with a specific creation time	created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Scan configurations with a specific modification time	modified	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Scan configurations with a specific owner	owner	String	
	Scan configurations with a specific VT selector	nvt_selector	UUID	
	Scan configurations with a specific number of VT families	families_total	Positive integer	
	Scan configurations with a specific number of VTs	nvt_total	Positive integer	
	Scan configurations with a specific trend for VT families	families_trend	Boolean	0 = VT families are not added automatically, 1 = VT families are added automatically
	Scan configurations with a specific trend for VTs	nvt_trend	Boolean	0 = VTs are not added automatically, 1 = VTs are added automatically
	Scan configurations with a specific type	type	0	OpenVAS
			1	OSP
	Scan configurations with a specific usage type	usage_type	scan policy	
	Scan configurations created from the feed	predefined	Boolean	0 = no, 1 = yes
Alerts	Alerts with a specific UUID	uuid	UUID	
	Alerts with a specific name	name	String	
	Alerts with a specific comment	comment	String	
	Alerts with a specific creation time	created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Alerts with a specific modification time	modified	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Alerts with a specific owner	owner	String	
	Alerts with a specific event type	event	1	Status of task changed
			2	New NVTs/CVEs/CPEs/...
			3	Updated NVTs/CVEs/CPEs/...
			4	Ticket received
			5	Assigned ticket changed
			6	Owned ticket changed
	Alerts with a specific condition type	condition	1	Always
			2	Specific severity
			3	Severity changed
			4	At least n results
	Alerts with a specific method	method	5	At least n results more than for the previous scan
			1	E-mail
			2	HTTP Get
			3	Sourcefire connector
			4	Start task
			5	Syslog entry
			6	verinice
			7	Send to host
			8	SCP
			9	SNMP
			10	SMB
			11	TippingPoint connector
			12	Alamba vFire connector
	Alerts with a specific filter applied to the report	filter	Filter UUID	

Filterkeywords und -werte



Seite/ Objekttyp	Filtern nach ...	Keywords	Mögliche Werte	Anmerkung
Schedules	Schedules with a specific UUID	uuid	UUID	
	Schedules with a specific name	name	String	
	Schedules with a specific comment	comment	String	
	Schedules with a specific creation time	created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Schedules with a specific modification time	modified	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Schedules with a specific owner	owner	String	
	Schedules with a specific time for the first run	first_time	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Schedules with a specific period between runs in seconds	period	Positive integer	
	Schedules with a specific period between runs in months	period_months	Positive integer	
	Schedules with a specific duration	duration	Positive integer	
	Schedules with a specific timezone	timezone	String	"UTC" or time zone using scheme "continent/state" (according to IANA Time Zone Database)
	Schedules with a specific time for the first run	first_run	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
Report formats	Report formats with a specific UUID	uuid	UUID	
	Report formats with a specific name	name	String	
	Report formats with a specific creation time	created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Report formats with a specific modification time	modified	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Report formats with a specific owner	owner	String	
	Report formats with a specific file extension	extension	csv	
			html	
			nbe	
			pdf	
			svg	
			tex	
			vna	
			xml	
	Report formats with a specific content type	content_type	application/pdf	
			application/zip	
			image/svg+xml	
			text/cvs	
			text/html	
			text/plain	
			text/xml	
	Report formats with a specific short summary	summary	String	
	Report formats with a specific description	description	String	
	Report formats which are (not) verified	trust	Boolean	0 = no, 1 = yes
	Report formats with a specific time of last verification	trust_time	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Report formats which are active/inactive	active	Boolean	0 = inactive, 1 = active
	Report formats which are obtained from the feed	predefined	Boolean	0 = no, 1 = yes
Scanners	Scanners with a specific UUID	uuid	UUID	
	Scanners with a specific name	name	String	
	Scanners with a specific comment	comment	String	
	Scanners with a specific creation time	created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Scanners with a specific modification time	modified	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Scanners with a specific owner	owner	String	
	Scanners with a specific host	host	String	
	Scanners with a specific port for connection	port	Positive integer	0 – 65535
	Scanners of a specific type	type	1	OSP scanner
			2	OpenVAS scanner
	Scanners with specific credentials	credential	String	

Filterkeywords und -werte



Seite/ Objekttyp	Filtern nach ...	Keywords	Mögliche Werte	Anmerkung
Filters	Filters with a specific UUID	uuid	UUID	
	Filters with a specific name	name	String	
	Filters with a specific comment	comment	String	
	Filters with a specific creation time	created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Filters with a specific modification time	modified	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Filters with a specific owner	owner	String	
	Filters with a specific term	term	String	
			alert	
			asset	
			config	
			credential	
			filter	
			group	
			host	
			info	SecInfo
			note	
			os	
			override	
			permission	
			port_list	
			report	
			report_format	
			result	
			role	
			scanner	
			schedule	
			tag	
			target	
			task	
			ticket	
			tls_certificate	
			user	
			vuln	
Users	Users with a specific UUID	uuid	UUID	
	Users with a specific name	name	String	
	Users with a specific comment	comment	String	
	Users with a specific creation time	created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Users with a specific modification time	modified	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Users with a specific owner	owner	String	
	Users with a specific authentication method	method	file	Standard authentication via database
			ldap_connect	
			radius_connect	
	Users with a specific role	roles	String	
	Users with a specific group	groups	String	
	Users who are allowed to scan a specific host	hosts	String	
	Users who are allowed to scan a specific network interface	ifaces	String	
Groups	Groups with a specific UUID	uuid	UUID	
	Groups with a specific name	name	String	
	Groups with a specific comment	comment	String	
	Groups with a specific creation time	created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Groups with a specific modification time	modified	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Groups with a specific owner	owner	String	
Roles	Roles with a specific UUID	uuid	UUID	
	Roles with a specific name	name	String	
	Roles with a specific comment	comment	String	
	Roles with a specific creation time	created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Roles with a specific modification time	modified	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Roles with a specific owner	owner	String	

Filterkeywords und -werte



Seite/ Objekttyp	Filtern nach ...	Keywords	Mögliche Werte	Anmerkung
Permissions	Permissions with a specific UUID	uuid	UUID	
	Permissions with a specific name	name	String	
	Permissions with a specific comment	comment	String	
	Permissions with a specific creation time	created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Permissions with a specific modification time	modified	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Permissions with a specific owner	owner	String	
	Permissions for a specific resource type	type	alert	
			config	
			cpe	
			credential	
			cve	
			cert_bund_adv	
			dfn_cert_adv	
			filter	
			group	
			host	
			os	
			note	
			nvt	
			ovaldef	
			override	
			port_list	
			permission	
			report	
			report_format	
			result	
			role	
			scanner	
			schedule	
			tag	
			target	
			task	
			tls_certificate	
			user	
	Permissions for a specific resource	resource	String	
	Permissions for a specific resource	resource_uuid	resource UUID	
	Permissions for a specific subject type	subject_type	user	
			group	
			role	
	Permissions for a specific subject	subject	String	
	Permissions for a specific subject	subject_uuid	Subject UUID	
Tags	Tags with a specific UUID	uuid	UUID	
	Tags with a specific name	name	String	
	Tags with a specific comment	comment	String	
	Tags with a specific creation time	created	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Tags with a specific modification time	modified	Date and time in ISO 8601 format	Example: "2011-11-08T19:57:06+02:00"
	Tags with a specific owner	owner	String	
	Tags which are active/inactive	active	Boolean	0 = inactive, 1 = active
	Tags for a specific number of resources	resources	String	
	Tags for a specific resource type	resource_type	alert	
			config	
			cpe	
			credential	
			cve	
			cert_bund_adv	
			dfn_cert_adv	
			filter	
			group	
			host	
			os	
			note	
			nvt	
			ovaldef	
			override	
			port_list	
			permission	
			report	
			report_format	
			result	
			role	
			scanner	
			schedule	
			tag	
			target	
			task	
			tls_certificate	
			user	
	Tags with a specific value	value	String	